



2024 |
Benro Photo Catalogue



Photo Tripod Kit

TCBA15FS20PROC



TCBC15FS30



Features

- Lightweight carbon fiber construction for ultimate portability.
- Secure flip locks for quick and sturdy setup.
- Unique center column design for extended height and low-angle versatility.
- Included feature-packed carry case with convenient accessory mounts.
- FS30 ball head kit for superior weight capacity and precision performance.




Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
TCBH15N00P	Aluminum+Carbon Fiber	5	34.5*19.5	24.1*9.1	1550	177	460	/	1.05	4
TCBA15FS20PROC	Aluminum	5	34.5*19.5	24.1*9.1	1565	182	435	/	1.22	4.5
TCBC15FS20PROC	Carbon Fiber	5	34.5*19.5	24.1*9.1	1525	182	435	/	1.02	4.5
TCBC15FS30	Carbon Fiber	5	34.5*19.5	24.1*9.1	1500	170	455	/	1	4.5
CB259AFB30	Carbon Fiber	5	34.5*19.5	24.1*9.1	1560	175	460	/	1.16	8
TCBC13N00P	Carbon Fiber	3	29.3*14.95	24.1*9.1	1105	180	455	/	0.73	4
TCBC12	Carbon Fiber	2	34.5*19.5	31.9*17.54	730	90	325	/	0.5	13

TTOR34CGX35



TTOR03CGX25



Features


- Dual Panning Ballhead Included - Aluminum Ballhead with Arca-Swiss Style Camera Plate
- Slim Design - Compact enough for travel and easy storage.
- Ultimate Stability - The Columnless design offers the most stability of all of our tripods
- Automatic Leg Angle Adjustment - Change leg angles with the push of a button
- 5 Year Warranty - 3 Year Warranty with 2 Year Online Extension

Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D. 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
TTOR03CGX25	Carbon Fiber	3	21.85	15	400	150	300	/	0.92	8
TTOR14CGX25	Carbon Fiber	4	25.2	15	1290	185	540	/	1.32	10
TTOR24CGX30	Carbon Fiber	4	28.6	18.4	1295	190	540	/	1.51	14
TTOR34CGX35	Carbon Fiber	4	32.4	21.8	1440	195	580	/	1.86	18
TTOR35CGX35	Carbon Fiber	5	32.4	18.4	1555	190	560	/	1.92	15

TTOR24CLVS4PRO



TTOR35CLVGH2F



Features

- Foldable for storage and transportation. The rotating arm can be folded against the tripod making the combination extremely compact.
- The rotating arm can be used separately as an L-bracket for Arca-Swiss style mount heads.
- Long lenses can be mounted directly to the Arca-Swiss style mount pivot when the detachable arm is removed.
- Includes 1/4 and 3/8 accessory mounting threads.
- Carbon Fiber Legs - lightweight for travel.

Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
TTOR24CLV	Carbon Fiber	4	28.6	18.4	1485	125	545	/	1.38	14
TTOR34CLV	Carbon Fiber	4	32.4	21.8	1535	135	560	/	1.7	20
TTOR35CLVGH2F	Carbon Fiber	5	32.4	18.4	1675	295	590	/	2.82	10
TTOR24CLVS4PRO	Carbon Fiber	4	28.6	18.4	1585	225	645	/	2.48	4
TTOR34CLVS4PRO	Carbon Fiber	4	32.4	21.8	1635	235	660	/	2.8	4

FRHN05CVX20



FRHN34CVX30



Features


- Dual Panning Ballhead Included
- Aluminum Ballhead with Arca-Swiss Style Camera Plate
- Automatic Leg Angle Adjustment
- Change leg angles with the push of a button
- Converts to Monopod - The Leg and Center Column combine for a full size monopod.
- Three Accessory Mounts - Easily attach accessories to your tripod.
- 5 Year Warranty - 3 Year Warranty with 2 Year Online Extension

Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
FRHN05CVX20	Carbon Fiber	5	21.8	9	1395	350	520	/	1.24	10
FRHN14CVX20	Carbon Fiber	5	25.2	15	1655	465	620	/	1.46	16
FRHN24CVX25	Carbon Fiber	4	28.6	18.4	1685	485	640	/	1.74	18
FRHN34CVX30	Carbon Fiber	4	32.4	21.8	1747	491	657	/	2.06	20

FBAT24CVX25



FBAT03CNMVX20



Features

- Dual Panning Ballhead Included
- Aluminum Ballhead with Arca-Swiss Style Camera Plate
- Five Individual Leg Angle Settings
- Allows for unique positioning of the tripod.
- Converts to Monopod - The Leg and Center Column combine for a full size monopod.
- Three Accessory Mounts - Easily attach accessories to your tripod.
- Reverse Folding Leg Design - Folds down to a compact size suited for travel.

Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
FBAT03CNMVX20	Carbon Fiber	3	21.8	15	410	145	300	/	0.83	12
FBAT05CVX20	Carbon Fiber	5	21.8	9	1405	335	515	/	1.16	10
FBAT05AVX20	Aluminum	5	21.8	9	1405	335	515	/	1.27	10
FBAT15AVX20	Aluminum	5	25.2	12	1650	370	575	/	1.61	14
FBAT15CVX20	Carbon Fiber	5	25.2	12	1655	370	575	/	1.47	14
FBAT24CVX25	Carbon Fiber	4	28.6	18.4	1770	430	630	/	1.78	16

TMTH44C



TMTH44CWH15



Features

- 8-stop counterbalance – Allows you to dial in the correct tension to counter the weight of your camera / lens combination.
- Up to 33 lbs – Supports long lenses.
- Quick Level 75mm Bowl – Quickly adjust your photo or video head with the 75mm bowl.
- Flat base with 3/8" mounting thread – You can attach any standard photo head with a 3/8" thread onto the flat base of the half ball adapter.
- 3 accessory mounts – Three built-in 3/8" accessory mounting holes for adding accessories.



Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
TMTH44C	Carbon Fiber	4	36.2	25.2	1600	140	570	/	2.25	25
TMTH43C	Carbon Fiber	3	36.2	28.6	1545	155	685	/	2.23	25
TMTH34C	Carbon Fiber	4	32.4	21.8	1520	125	560	/	1.95	18
TMTH33C	Carbon Fiber	3	32.4	25.2	1500	150	660	/	1.9	18
TMTH44CWH15	Carbon Fiber	4	36.2	25.2	1735	275	705	/	3.65	15

FTR09AB00GBLK



FTR09CB00GBLK



Features

- Converts to Monopod - The center column connects to the tripod leg to form a full size monopod.
- Removable Ballhead - The ballhead is attached via a 3/8"-16 stud and can easily be removed.
- Telescoping 2 Section Center Column - The column can be extended for additional height.
- Accessory Mount - A 1/4"-20 accessory mount is located on the shoulder.
- Arca-Swiss style camera plate - This camera plate will work with most other Arca-Swiss style heads.

Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)	Payload (kg)
FTR09AB00G	Black/Titanium/Blue	Aluminum	5	21.8	9	1390	335	480	/	1.13	6
FTR09CB00G	Black/Titanium	Carbon Fiber	5	21.8	9	1390	335	480	/	0.98	6
FTR19AB0G	Black/Titanium/Blue	Aluminum	5	25.2	12	1505	355	510	/	1.55	8
FTR19CB0G	Black/Titanium	Carbon Fiber	5	25.2	12	1505	355	510	/	1.36	8
FTR28CB1G	Black/Titanium	Carbon Fiber	4	28.6	18.4	1560	395	560	/	1.6	12

FIF19AIB0



Features

- Removable Ballhead - The ballhead is attached via a 3/8"-16 stud and can easily be removed.
- Telescoping 2 Section Center Column - The column can be extended for additional height.
- Accessory Mount - A 1/4"-20 accessory mount is located on the shoulder.
- Arca-Swiss style camera plate - This camera plate will work with most other Arca-Swiss style heads.

Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
FIF19AIB0	Aluminum	5	25.2	12	1470	350	/	348	1.64	8
FIF19CIB0	Carbon Fiber	5	25.2	12	1465	350	/	348	1.41	8
FIF28AIB2	Aluminum	4	28.6	18.4	1650	465	/	465	2.19	14
FIF28CIB2	Carbon Fiber	4	28.6	18.4	1650	465	/	465	1.84	14
FIF18ALIB0	Aluminum	4	25.2	15	1665	450	610	465	1.74	10
FIF18CLIB0	Carbon Fiber	4	25.2	15	1665	450	610	465	1.39	6

FIT19AIH0



Features

- Removable Ballhead - The ballhead is attached via a 3/8"-16 stud and can easily be removed.
- Telescoping 2 Section Center Column - The column can be extended for additional height.
- Accessory Mount - A 1/4"-20 accessory mount is located on the shoulder.
- Arca-Swiss style camera plate - This camera plate will work with most other Arca-Swiss style heads.



Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
FIT19AIH0	Aluminum	5	23	11	1475	395	510	395	1.26	4
FIT29AIH1	Aluminum	5	26	14	1545	415	545	415	1.61	6

TSL08AN00



Features

- Slim Profile Shoulder - Allows for the tripod legs to be more compact when folded.
- Anodized Aluminum Twist Locks - Only require a quick half turn to lock and unlock.
- Arca-Swiss style Camera Plate - Blue anodized aluminum arca-swiss style quick release plate with a D-ring 1/4"-20 camera screw.
- Lightweight Magnesium Shoulder - Features 3 leg positions and each leg can be positioned individually for uneven terrain.
- Removable Single Action Ballhead - Oversized ratchet style lock knob for easy operation and a panoramic scale.

Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
TSL08AN00	Aluminum	4	21.8	12	1464	400	510	/	1.2	4
TSL08ALN00	Aluminum	4	21.8	12	1637	448	550	/	1.23	4
TSSL08AN00P	Aluminum	4	21.8	12	1560	180	525	/	1.13	4
TSL08AS2CSH	Aluminum	4	21.8	12	1450	410	520	/	1.48	2.5
TSL08AS2CSHG	Aluminum	4	21.8	12	1450	410	520	/	1.58	2.5

MSSL09C



FSL09AN00



TSL08AS2CSH



Features

- Compact Folded Design - The perfect solution for traveling with a tripod
- Anodized Aluminum Twist Locks - Only require a quick half turn to lock and unlock.
- Sliding camera plate with locking pin included.
- Lightweight Shoulder - Features 3 leg positions and each leg can be positioned individually for uneven terrain.
- Smooth Pan/Tilt Head - With adjustable control arm the head provides fluid movement for both pan and tilt.



Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
TSL08CN00	Carbon Fiber	4	21.8	12	1463	400	510	/	1.01	4
TSL08CLN00	Carbon Fiber	4	21.8	12	1638	449	551	/	1.09	4
TSSL08CN00P	Carbon Fiber	4	21.8	12	1560	180	525	/	1.02	4
FSL09AN00	Aluminum	5	21.8	9	1300	315	475	/	1.18	4
FSL09CN00	Carbon Fiber	5	21.8	9	1300	315	475	/	1.07	4
MSSL09C	Carbon Fiber	5	25	12	1488	417	417	/	0.28	15

FGP18A



Features

- The FGP18A Go Plus from Benro is an aluminum, 4-section tripod which offers a variety of studio-support amenities in a compact, travel-tripod design.
- Sporting an impressive strength-to-weight ratio, the FGP18A can support up to 22 lb while weighing just 3.5 lb. Usable at either full height or ground level, the tripod can extend up to a maximum height of 60.6" or be lowered down to a minimum height of just 14.6".



Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
FGP18A	Aluminum	4	25.2	15	1540	370	510	460	1.59	10
FGP18C	Carbon Fiber	4	25.2	15	1540	370	510	460	1.33	10
FGP28A	Aluminum	4	28.6	18.4	1655	390	540	495	1.92	14
FGP28C	Carbon Fiber	4	28.6	18.4	1655	390	540	495	1.62	14
FGP18AB1	Aluminum	4	25.2	15	1640	460	610	460	1.98	8
FGP28AB2	Aluminum	4	28.6	18.4	1755	495	640	495	2.37	12
FGP18CV1	Carbon Fiber	4	25.2	15	1630	470	610	470	1.76	10
FGP28CV2	Carbon Fiber	4	28.6	18.4	1765	495	645	495	2.1	14

TMA47AXL



Features

- **Aluminum Legs:** The Mach3 TMA47AXL features aluminum leg construction making it both lightweight and sturdy.
- **Magnesium Casting:** Wherever possible the Mach3 TMA47AXL employs magnesium castings making it among some of the lightest tripods on the market.
- **High Performance Twist Locks:** The Mach3 TMA47AXL utilizes high performance, rubber twist locks for improved ergonomics and resistance to the elements.
- **Spiked Feet:** A set of spiked feet are included with the Mach3 TMA47AXL tripod for increase stability when shooting outdoors.
- **Short Column:** For ground level shooting a short column is included with the Mach3 TMA47AXL.

Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
TMA27A	Aluminum	3	28.6	21.8	1615	385	625	/	1.75	12
TMA28A	Aluminum	4	28.6	18.4	1555	315	525	/	1.76	14
TMA37AL	Aluminum	3	32.4	25.2	1790	410	680	/	2.36	16
TMA47AL	Aluminum	3	36.2	28.6	1800	410	685	/	2.85	20
TMA47AXL	Aluminum	4	36.2	28.6	2150	475	795	/	3.1	20

TMA27C



Features

- **9x Carbon Fiber Legs:** The Mach3 TMA27C features our signature 9x Carbon fiber legs. Constructed from 9 layers of carbon fiber these legs maximize the strength to weight ratio of the tripod legs. Giving you the sturdiness you require with out weighing you down.
- **Monopod Conversion:** It is extremely simple to convert one of the Mach3 TMA27C's legs into a monopod adding even more versatility.
- **Magnesium Casting:** Wherever possible the Mach3 TMA27C employs magnesium castings making it among some of the lightest tripods on the market.
- **High Performance Twist Locks:** The Mach3 TMA27C utilizes high performance, rubber twist locks for improved ergonomics and resistance to the the elements.

Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
TMA27C	Carbon Fiber	3	28.6	21.8	1620	385	625	/	1.42	14
TMA28C	Carbon Fiber	4	28.6	18.4	1555	310	530	/	1.54	14
TMA37C	Carbon Fiber	3	32.4	25.2	1615	385	625	/	1.85	16
TMA38CL	Carbon Fiber	4	32.4	21.8	1770	355	590	/	2.05	16
TMA48CXL	Carbon Fiber	4	36.2	25.2	2105	405	675	/	2.62	20
TMA28AHD2A	Aluminum	4	28.6	18.4	1680	430	640	/	2.58	8
TMA28AB2	Aluminum	4	28.6	18.4	1655	415	625	/	2.21	14

MMA28C



Features

- This classic design monopod, offers advanced features and controls for exploring every style of photography. The Adventure combines aluminum tubes with quick flip leg locks creating a durable and easy to use monopod.

Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
MMA28C	Carbon Fiber	4	28.6	18.4	1545	535	/	/	0.47	12
MMA38C	Carbon Fiber	4	32.4	21.8	1585	545	/	/	0.58	18
MMA49C	Carbon Fiber	5	36.2	21.8	1860	565	/	/	0.7	20

FTA28AB1



FTA28CV1



Features

- Triple Action Ballhead: The Travel Angel FTA28CV1 tripod kit contains a triple action ballhead with quick release plate. With separate controls for pan lock, drag and ball lock, this head gives you complete control. The included quick release plate is arca-swiss style, an industry standard.
- 9x Carbon Fiber Legs: The Travel Angel FTA28CV1 features our signature 9x Carbon fiber legs. Constructed from 9 layers of carbon fiber these legs maximize the strength to weight ratio of the tripod legs. Giving you the sturdiness you require without weighing you down.

Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
FTA28CV1	Carbon Fiber	4	28.6	18.4	1700	475	625	475	1.81	10
FTA19CV0	Carbon Fiber	5	25.2	12	1495	388	528	388	1.55	8
FTA18CV0	Carbon Fiber	4	25.2	15	1545	440	590	440	1.54	8
FTA28AB1	Aluminum	4	28.6	18.4	1595	455	610	/	2.09	10

TAD18AHD1A



TAD28AIB2



Features

- **Triple Action Ballhead:** The Adventure TAD28AIB2 kit contains a triple action ballhead with quick release plate. With separate controls for pan lock, drag and ball lock, this head gives you complete control. The included quick release plate is arca-swiss style, an industry standard.
- **Aluminum Legs:** The Adventure TAD28AIB2 features aluminum leg construction making it both lightweight and sturdy.
- **Magnesium Casting:** Wherever possible the Adventure TAD28AIB2 employs magnesium castings making it among some of the lightest tripods on the market.

Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
TAD18AHD1A	Aluminum	4	25.2	15	1535	400	590	/	1.94	5
TAD28AHD2A	Aluminum	4	28.6	18.4	1670	440	645	/	2.48	8
TAD18AIB1	Aluminum	4	25.2	15	1531	391	586	/	1.8	8
TAD28AIB2	Aluminum	4	28.6	18.4	1660	410	625	/	2.21	10

TAD18A




TAD28CB2



Features

- **Triple Action Ballhead:** The Adventure TAD28CB1 kit contains a triple action ballhead with quick release plate. With separate controls for pan lock, drag and ball lock, this head gives you complete control. The included quick release plate is arca-swiss style, an industry standard.
- **Carbon Fiber Legs:** The Adventure TAD28CB1 features 8x Carbon fiber legs. Constructed out of 8 layers of carbon fiber these legs offer high levels of strength and very low weight.
- **Magnesium Casting:** Wherever possible the Adventure TAD28CB1 employs magnesium castings making it among some of the lightest tripods on the market.



Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
TAD18A	Aluminum	4	25.2	15	1435	295	490	/	1.42	8
TAD28A	Aluminum	4	28.6	18.4	1560	310	525	/	1.8	12
TAD38A	Aluminum	4	32.4	21.8	1760	275	590	/	2.43	15
TAD28C	Carbon Fiber	4	28.6	18.4	1560	310	525	/	1.43	12
TAD28CB2	Carbon Fiber	4	28.6	18.4	1660	410	625	/	1.88	12

MAD38A



MAD49C



Features

- This classic design monopod, offers advanced features and controls for exploring every style of photography. The Adventure combines aluminum tubes with quick flip leg locks creating a durable and easy to use monopod.



Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
MAD38A	Aluminum	4	32.4	21.8	1595	525	525	/	0.62	16
MAD49A	Aluminum	5	36.2	21.8	1910	540	540	/	0.84	18
MAD38C	Carbon Fiber	4	32.4	21.8	1585	525	525	/	0.5	16
MAD49C	Carbon Fiber	5	36.2	21.8	1910	540	540	/	0.62	18

BK15



TABLEPODPROKIT



Features

- Two built-in 90° notches for quick switching from Landscape to Portrait orientations.
- Two 1/4" -20 mounts allow you to attach additional accessories.
- The head also features 360 ° pan rotation with built-in pan scale.
- Folding up to just 8.7 inches(222mm)
- ArcaSmart70 camera plate/ smartphone adapter included.

Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
BK15	Aluminum	6	/	/	810	190	200	/	0.19	0.5
PP1	Aluminum	/	/	/	135	135	176	/	0.16	1.5
TABLEPODKIT	Carbon Fiber	/	16.4	/	193	88	/	/	0.25	3
TABLEPODPROKIT	Carbon Fiber	/	16.4	/	193	88	/	/	0.33	3

KP1



TPKFL



Features

- Flexible and Bendable leg design for attaching to almost anything.
- Unique camera placement. You can place the camera or smartphone in locations where tripods won't fit.
- Arca-Swiss style camera plate/head. A professional array of features and compatible with your other favorite camera gear.
- Pocket size for travel. Folds up nice and tiny for traveling.
- Upgradeable legs - Additional legs sections can be purchased separately for maximum versatility.

Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)	
KP1	Aluminum+Rubber	/	16	16	210	/	265	/	0.22	1.5	
KP1K	Aluminum+Rubber	/	16	16	210	/	265	/	0.22	1.5	
KP1LEG1	Length x Width x Height : 16x16x168mm								0.04	/	
KP1LEG2	Length x Width x Height : 16x16x168mm								0.045	/	
TPKFL	Carbon Fiber	/	18.2	/	268	106	305	/	0.43	3	
TPKFLSL	Length x Width x Height : 62x21x195mm								0.15	/	
TPKFLHL	Carbon Fiber	/	18	Length x Width x Height : 62x21x216mm						0.072	/



Features

- Two built-in 90° notches for quick switching from Landscape to Portrait orientations.
- Two ¼" -20 mounts allow you to attach additional accessories.
- The head also features 360 ° pan rotation with built-in pan scale.
- Folding up to just 8.7 inches(222mm)
- With the built-in ballhead, you can level your shot with ease.

Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
TPKWE	Aluminum+Walnut	1	17.5	17.5	86	86	195	/	0.28	3

N00P



FS20PROC



FS30



Model 型号	Ball Φ 球体直径 (mm)	Product H. 产品高度 (mm)	Base Mount Φ 底座直径 (mm)	Weight 自重 (kg)	Payload 承重 (kg)	Camera Screw 相机螺丝	Head Mount Screw 底座螺丝
N00P	24	77	40	0.22	4	1/4"	3/8"
FS20PROC	20	82	35	0.31	4.5	1/4"	3/8"
FS30	30	72	32	0.25	5.5	1/4"	3/8"

GX25/GX30/GX35



VX20/VX25/VX30



Model 型号	Ball Φ 球体直径 (mm)	Product H. 产品高度 (mm)	Base Mount Φ 底座直径 (mm)	Weight 自重 (kg)	Payload 承重 (kg)	Camera Screw 相机螺丝	Head Mount Screw 底座螺丝
GX25	30	85	41	0.34	25	1/4"	3/8"
GX30	36	85	47	0.38	30	1/4"	3/8"
GX35	40	90	51	0.4	35	1/4"	3/8"
VX20	30	90	40	0.28	20	1/4"	3/8"
VX25	36	95	46	0.34	25	1/4"	3/8"
VX30	40	100	50	0.38	30	1/4"	3/8"

GH2N



GH2F



GH2FL



Model 型号	Ball Φ 球体直径 (mm)	Product H. 产品高度 (mm)	Base Mount Φ 底座直径 (mm)	Weight 自重 (kg)	Payload 承重 (kg)	Camera Screw 相机螺丝	Head Mount Screw 底座螺丝
GH2N	/	225	57.42	1.2	25	1/4"	3/8"
GH2F	/	195	57	1.13	10	1/4"	3/8"
GH2FL	/	195	75	1.13	10	1/4"	3/8"

GH5C



GH5CMINI



WH15



Model 型号	Ball Φ 球体直径 (mm)	Product H. 产品高度 (mm)	Base Mount Φ 底座直径 (mm)	Weight 自重 (kg)	Payload 承重 (kg)	Camera Screw 相机螺丝	Head Mount Screw 底座螺丝
GH5C	/	245	60.4	1.08	30	1/4"	3/8"
GH5CMINI	/	223	60	1	30	1/4"	3/8"
WH15	/	131	75	1.4	15	1/4"	3/8"

B5/B4/B3/B2/B1/B0



IB2/IB1/IB0




Model 型号	Ball Φ 球体直径 (mm)	Product H. 产品高度 (mm)	Base Mount Φ 底座直径 (mm)	Weight 自重 (kg)	Payload 承重 (kg)	Camera Screw 相机螺丝	Head Mount Screw 底座螺丝
B5	64	128	78	0.9	40	1/4"	3/8"
B4	54	114	68	0.65	30	1/4"	3/8"
B3	44	104	58	0.46	20	1/4"	3/8"
B2	40	99	54	0.41	16	1/4"	3/8"
B1	36	94	50	0.36	12	1/4"	3/8"
B0	30	90	44	0.29	8	1/4"	3/8"
IB2	40	100	56	0.41	14	1/4"	3/8"
IB1	36	96	52	0.38	10	1/4"	3/8"
IB0	30	90	46	0.3	6	1/4"	3/8"

GD3WH



HD3A/HD2A/HD1A



DJ90/DJ80




Model 型号	Ball Φ 球体直径 (mm)	Product H. 产品高度 (mm)	Base Mount Φ 底座直径 (mm)	Weight 自重 (kg)	Payload 承重 (kg)	Camera Screw 相机螺丝	Head Mount Screw 底座螺丝
GD3WH	/	110	52	0.74	6	1/4"	3/8"
HD3A	/	135	56.8	0.91	12	1/4"	3/8"
HD2A	/	120	52.8	0.76	8	1/4"	3/8"
HD1A	/	95	35	0.57	5	1/4"	3/8"
DJ90	/	80	31	0.24	2.5	1/4"	3/8"
DJ80	/	68	31	0.27	2.5	1/4"	3/8"

ARCASMART70



MPU70P



ARCASMART360



Model 型号	Product L. 长度 (mm)	Product W. 宽度 (mm)	Product H. 高度 (mm)	Weight 自重 (kg)	Quick Release Type 卡口标准
ARCASMART70	70	48	13	0.078	Arca
MPU70P	74	48	15	0.085	Arca
ARCASMART360	66	40	20	0.059	Arca + 501

ACSM360D




ACSMKS



ACSMSA



ACSMTH



Model 型号	Product L. 长度 (mm)	Product W. 宽度 (mm)	Product H. 高度 (mm)	Weight 自重 (kg)	Quick Release Type 卡口标准
ACSM360D	75	52	42	0.224	Arca + 501
ACSMKS	101	51	43	0.112	Arca
ACSMSA	92	38	18	0.088	Arca
ACSMTH	123	68	31	0.18	Arca + 501


PMM70



BA7510



QRB95DUAL



Model 型号	Product L. 长度 (mm)	Product W. 宽度 (mm)	Product H. 高度 (mm)	Weight 自重 (kg)	Quick Release Type 卡口标准
PMM70					Arca
BA7510	Φ100	Φ100	32	0.115	/
QRB95DUAL	167	75	135	0.317	Arca + 501

MAC3



MAP75



GPAC502



GAC502PRO



Model 型号	Product L. 长度 (mm)	Product W. 宽度 (mm)	Product H. 高度 (mm)	Weight 自重 (kg)	Quick Release Type 卡口标准
MAC3	Φ93	Φ93	485	0.554	/
MAP75	Φ75	Φ75	58.5	0.081	/
GPAC502	95	53	540	0.485	/
GAC502PRO	74	53	541	0.42	/



Video Tripod Kit



[Learn more](#) 



A373FBV4H



C373FBS8PRO



Features

- 75mm Bowl - The tripod features a 75mm metal bowl for leveling the video head.
- 8 Steps of Counterbalance (0-7) - The S8PRO has 8 individual steps of counterbalance to help properly balance your camera rig.
- 17.6lb/8kg weight capacity - Supports cameras both large and small.
- Flat Base Versatility - Can be used on other flat surfaces with its 3/8" -16 mounting thread such as sliders, jibs and half ball adapters.
- Two Accessory Mounts - Two 3/8" -16 mounts for attaching accessories.



Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
A373FBV4H	Aluminum	3	32.4	25.2	1626	315	790	/	4.25	4
C373FBV4H	Carbon Fiber	3	32.4	25.2	1630	315	790	/	3.8	4
A373FBV6H	Aluminum	3	32.4	25.2	1626	315	790	/	4.25	6
C373FBV6H	Carbon Fiber	3	32.4	25.2	1630	315	790	/	3.8	6
A373FBS6PRO	Aluminum	3	32.4	25.2	1610	300	775	/	4.06	6
A373FBS8PRO	Aluminum	3	32.4	25.2	1635	325	800	/	4.91	8
C373FBS8PRO	Carbon Fiber	3	32.4	25.6	1600	315	790	/	4.48	8

A1573FS2PRO



A2573FS6PRO



Features

- Leveling Center Column - A leveling base is attached to the top of the center column making it easy to quickly level the head independently of the tripod.
- 60mm Video Head - The S2PRO is a 60mm flat base (will pair with 75mm half ball) video head with fixed tilt drag, pan drag, tilt lock and pan lock.
- 5.5 lb/2.5kg weight capacity - Supports cameras both large and small.
- Flat Base Versatility - Can be used on other flat surfaces with its 3/8" -16 mounting thread such as sliders, jibs and half ball adapters.
- Two Accessory Mounts - Two 1/4" - 20 mounts for attaching accessories.



Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
A1573FS2PRO	Aluminum	3	25.2	18.4	1575	415	700	/	2.23	2.5
A2573FS4PRO	Aluminum	3	28.6	21.8	1770	415	790	/	3.05	4
A2573FS6PRO	Aluminum	3	28.6	21.8	1800	445	820	/	3.57	6
A3573FS6PRO	Aluminum	3	32.4	25.2	1920	445	870	/	4	6

BVX18CFKPRO



Features

- Heavy-Duty 39 lb(18kg) Payload
– Works with teleprompters and larger lenses/camera rigs.
- 10 Steps of Counterbalance – Dial in your rig with the right amount of counterbalance.
- 8 Steps of Pan and Tilt Dampening
– Fast and repeatable.
- Sliding QR Camera Plate Platform
– Helps to properly shift the rig for better balance.
- Top-Mount Snap-In Camera Plate
– Quick and easy snap system to ensure a secure lock.



Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
BV4Pro	Aluminum	3	22	16	1600	805	860	/	5.95	4
BV6Pro	Aluminum	3	22	16	1600	805	860	/	5.98	6
BV8	Aluminum	3	22	16	1600	715	867	/	6.34	8
BV10	Aluminum	3	22	16	1635	740	880	/	7.28	10
BVX18CFKPRO	Carbon Fiber	3	25	19	1690	640	900	/	7.95	18

A673TMBS8PRO



Features

- 75mm Bowl - The tripod features a 75mm metal bowl for leveling the video head.
- 8 Steps of Counterbalance (0-7) – The S8PRO has 8 individual steps of counterbalance to help properly balance your camera rig.
- 17.6lb/8kg weight capacity – Supports cameras both large and small.
- Flat Base Versatility – Can be used on other flat surfaces with its 3/8" -16 mounting thread such as sliders, jibs and half ball adapters.
- Two Accessory Mounts – Two 3/8" -16 mounts for attaching accessories.

Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
A573TBS6PRO	Aluminum	3	18	14	1580	750	845	/	4.66	6
A673TMBS8PRO	Aluminum	3	22	16	1600	720	880	/	6.63	8

KH26PC



Features

- Ideal for compact digital video cameras, DSLRs, and still cameras with long lenses weighing up to 15 lb (6.8 kg).
- These tripods replace the popular KH25P and KH26P models and feature increased weight capacity and the ability to use additional camera plates with the included head.
- The included head features continuous pan drag allowing control over the amount of tension while panning left to right for smooth and stable movement while recording.
- The KH25PC and KH26PC both feature 60mm bowls and head-mounted bubble levels to ensure proper alignment, accurate camera placement, and level panning. An interchangeable pan arm on both models allows for both right and left-handed use.



Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
KH25PC	Aluminum	3	18	14	1565	750	790	/	3.41	5
KH26PC	Aluminum	3	18	14	1845	875	910	/	4	6.8

MSD36C



MSD46C



MSD46C72



MSDPL46C



Features

- **Sturdy Carbon Fiber Construction:** This monopod is built to last, capable of effortlessly supporting the weight of long lenses while remaining remarkably lightweight and portable.
- **Stands Tall:** The 72" max height makes sure you will never have to stoop (bend) while tracking your subject.
- **Comfortable Padded Grip:** The padded grip ensures your customers' hands and shoulders stay comfortable during extended use. And if it's ever in the way, it can be easily removed.

Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
MSD36C	Carbon Fiber	6	32.4	15	1660	430	430	/	0.5	40
MSD46C	Carbon Fiber	6	36.2	18.4	1835	470	470	/	0.59	40
MSDPL46C	Carbon Fiber	6	36.2	18.4	1590	500	500	/	0.9	32
MSD46C72	Carbon Fiber	6	36.2	18.4	1830	490	490	/	0.9	8

A48FDS6PRO



Features

- **Sturdy Carbon Fiber Construction:** This monopod is built to last, capable of effortlessly supporting the weight of long lenses while remaining remarkably lightweight and portable.
- **Stands Tall:** The 72" max height makes sure you will never have to stoop (bend) while tracking your subject.
- **Comfortable Padded Grip:** The padded grip ensures your customers' hands and shoulders stay comfortable during extended use. And if it's ever in the way, it can be easily removed.



Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
A38FDS2PRO	Aluminum	4	32.4	21.8	1645	635	635	/	1.57	2.5
A48FDS4PRO	Aluminum	4	36.2	25.2	1740	660	660	/	2.17	4
A48FDS6PRO	Aluminum	4	36.2	25.2	1770	690	690	/	2.69	6

C08D6B



C08D9B



Features

- Carbon Fiber Rails - Ideal for strength and lightweight support, the MoveOver8B includes two 100% 15-layer 18mm carbon fiber rails.
- 4 Bearing Carriage - The CNC machined aluminum carriage operates using 4 quiet bearings that run along two carbon fiber rods providing smooth movement for your shot. A bubble level is included on the carriage.
- Center mountable - Center mounting the slider is made easy using the included cheese plate with two 3/8" -16 threads and one 1/4" -20 thread.



Model 型号	Material 材质	Product L. 长度 (mm)	Product W. 宽度 (mm)	Product H. 高度 (mm)	Max. D. 最大管径 (mm)	Working Length 使用长度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
C08D6B	Carbon Fiber	835	260	80	18	590	1.42	8
C08D9B	Carbon Fiber	1135	260	80	18	890	1.65	8

HH75AV



Features



- Standard 75mm BowlMount – The 75mm version will accept a 75mm video head and includes a 3/8"-16 low profile tie down adapter for getting low to the ground shots.
- Shoot Low – The hi-hat includes a 3/8"-16 low profile tie down adapter for getting low to the ground shots.
- Monitor & Accessory Mounts - There are three accessory mounts on the outside of the bowl come in handy for attaching monitor arms. Each 3/8"-16 male to 1/4"-20 female insert can be used to convert any standard 1/4"-20 screw to 3/8"-16 in addition to being removed for attaching 3/8"-16 accessories.

Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Min. D 最小管径 (mm)	Max.H. 最高高度 (mm)	Min. H 最低高度 (mm)	Closed H 折合高度 (mm)	Folded H. 反折高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
HH75AV	Aluminum	2	32.4	28.6	280	80	230	/	1.27	75
HH100AV	Aluminum	2	36.2	32.4	280	75	230	/	1.62	100



Features

- The MoveUp4 Travel Jib Kit comes with a S7 tripod and MoveUp4 lightweight travel jib that folds up for easy transport. Ideal for HD/SLR and lightweight video cameras this jib can support up to 8.8 lb (4kg) and has a vertical reach of 72.8". The 3/8"-16 threaded flat base allows for a number of mounting options. Soft case included.

Model 型号	Product L. 长度 (mm)	Product W. 宽度 (mm)	Product H. 高度 (mm)	Arm size folded 内臂未打开长度 (mm)	Arm size extended 全打开长度 (mm)	Working length (arm folded) 内臂未打开 时前臂使用长度 (mm)	Working length (arm extended) 内臂打 开时前臂使用长度 (mm)	Bowl size 球碗 (mm)	Tilt range 仰俯角度	Weight 自重 (kg)	Payload 承重 (kg)
A04J18	690	145	150	1230	1890	600	970	/	/	3.05	4
A08J23	1030	125	325	1660	2380	1100	1640	75	Front 45° Back 50°	7	8
A15J27	1180	140	360	1910	2770	1230	1800	100	Front 45° Back 50°	12	15
A20J27	1190	150	380	1950	2780	1240	1815	100	/	15.4	20
AS04S	Maximum Leg Diameter 最大管径 38mm					Closed Length 收纳长度 1120mm				7.08	50
AS14	Maximum Leg Diameter 最大管径 50mm					Closed Length 收纳长度 1150mm				8.11	200
DL10	Maximum Leg Diameter 最大管径 1100mm					/				7.24	/

BV3H/BV4H/BH6H/BV8H/BV10H



BVX18H



Model 型号	Ball Φ 球碗直径 (mm)	Product H. 产品高度 (mm)	Base Mount Φ 底座直径 (mm)	Weight 自重 (kg)	Payload 承重 (kg)	Camera Screw 相机螺丝	Head Mount Screw 底座螺丝	Counterbalance 动平 衡范围	Tilt Drag 阻尼档位	Forward Tilt Range 前俯后仰角度
BV3H	/	115	64	0.65	6	1/4"	3/8"	0-3	/	/
BV4H	75	170	/	1.9	4	1/4" 3/8"	3/8"	0-5	3	90° / 60°
BV6H	75	170	/	2	6	1/4" 3/8"	3/8"	0-7	3	90° / 60°
BV8H	75	170	/	2.58	8	1/4" 3/8"	3/8"	0-4	3	90° / 70°
BV10H	100	175	/	3	10	1/4" 3/8"	3/8"	0-4	3	90° / 65°
BVX18H	100	185	/	3.75	18	1/4" 3/8"	3/8"	0-10	8	90° / 75°

S2PRO/S4PRO/S6PRO/S8PRO



Model 型号	Ball Φ 球碗直径 (mm)	Product H. 产品高度 (mm)	Base Mount Φ 底座直径 (mm)	Weight 自重 (kg)	Payload 承重 (kg)	Camera Screw 相机螺丝	Head Mount Screw 底座螺丝	Counterbalance 动平 衡范围	Tilt Drag 阻尼档位	Forward Tilt Range 前俯后仰角度
S2Pro	/	95	60	0.63	2.5	1/4"	3/8"	/	/	/
S4Pro	/	100	60	1.1	4	1/4"3/8"	3/8"	1-2	/	/
S6Pro	/	125	70	1.62	6	1/4"3/8"	3/8"	0-5	continious	/
S8Pro	/	150	84	2.47	8	1/4"3/8"	3/8"	0-7	continious	/



ALC1



ALC2



ALC3



BL60



BL75



BL100



BL75S



BL100S



BA75



FPB71

Model 型号	Material 材质	Sections 节数	Max. D. 最大管径 (mm)	Ball Φ 球碗直径 (mm)	Hight 高度 (mm)	Weight 自重 (kg)	Payload 承重 (kg)
ALC1	Aluminum	1	24	56	320	0.34	6
ALC2	Aluminum	1	28	56	315	0.35	12
ALC3	Aluminum	1	32	60	315	0.42	18
BL60	/	/	/	65	/	0.21	/
BL75S	/	/	/	75	/	0.27	/
BL100S	/	/	/	100	/	0.43	/
BL75	/	/	/	75	/	0.28	/
BL100	/	/	/	100	/	0.46	/
BA75	/	/	/	80	30	0.07	/
FPB71	/	/	/	71	46.5	0.48	8



ML08



ML08N



SP06



DL06



DL08

Model 型号	Material 材质	Max. Φ 最大圆径 (mm)	Min.Φ 最小圆径 (mm)	Hight 高度 (mm)	Weight 自重 (kg)
ML08	/	770	520	/	0.64
ML08N	/	770	520	/	0.64
SP06	/	1280	860	/	0.8
DL06	/	1140	/	/	2.4
DL08	/	1160	/	/	3.54



Filter System



[Learn more](#) 



- 不同的滤镜通过单片使用或者两片叠加使用，可以实现多种玩法，增加摄影师的创意。

A=PL
 B=PL Mist
 C=PL
 D=ND8+PL
 A+C=VND2-5
 A+D=VND6-9
 B+C=VND2-5 Mist
 B+D=VND6-9 Mist



滤镜磁吸使用

4 片滤镜，单片或组合，实现 19 种滤镜

ND2	ND6	ND2Mist	ND6Mist	PL
ND3	ND7	ND3Mist	ND7Mist	PLMist
ND4	ND8	ND4Mist	ND8Mist	ND16+PL
ND5	ND9	ND5Mist	ND9Mist	

